Overview of various machines, experiments at COSY

- 1. Methods of the friction force measurements
- 1.1. Longitudinal component
- 1.2. Transverse component
- 2. Determination of the electron beam temperature
- 3. Dependence on magnetic field value
- 4. Dependence on electron temperature
- 5. Scaling with charge number
- 6. Magnetic field imperfection (?)
- 7. COSY cooler
- 8. Field quality
- 9. Beam manipulation
- 10. Friction force measurements
- 11. Possible experiments

1.1. Longitudinal cooling

Four general methods

Rang of the ion velocity $0 - 10^4$ m/s

1. Equilibrium between a longitudinal heating of the ion beam and electron cooling

$$F_{\parallel}(v) = D \, \frac{\partial \rho / \partial v}{\rho(v)}$$

Developed at LEAR (H.Poth et al., NIM A 287(1990), 328) improved and calibrated at ESR (T.Wincler et al., Hiperfine Int. 99 (1996) 227)

2. Equilibrium between induction acceleration and electron cooling (TSR, HIMAC)

3. Phase shift method Equilibrium between cooling and RF acceleration

$$F_{\parallel} = Ze\hat{U}_{\rm rf} \sin \Delta \phi_{\rm s}$$

(bunched ion beam)

Rang of the ion velocity $10^4 - 10^7$ m/s

4. Voltage step method

$$F_{\parallel} = \frac{p}{\eta} \, \frac{\mathrm{d}f/\,\mathrm{d}t}{f} \, .$$

- 1.2. Transverse cooling
- 1. Measurements of the beam profile during cooling
- C. Carli, M. Chanel, Bad Honnef conference, LEAR LEIR The profiles are transformed in amplitude density distributions by applying an Abel transformation.

 (M. Chanel, NIM A 441 (2000) 64 –69)
- M. Beutelspacher et al. NIM A 441 (2000) 110-115, TSR

$$\frac{1}{\sigma_j} \frac{\mathrm{d}\sigma_j}{\mathrm{d}t} = -\frac{1}{\tau_j} + \lambda$$

2. Damping time of coherent oscillations

3. Measurement of the maximum position

H. Danared et al. NIM A 441 (2000) 123-133 (CRYRING)

Transverse "chromatic" instability will occur when a misalignment introduced between the ion and the electron beam exceeds the velocity where the transverse friction force has its maximum.




Fig. 9. Profiles of a cooled ion beam with well-aligned electrons (left) and of a beam above the instability threshold where the electron beam was misaligned by 2.3 mrad (right).

2. Determination of the electron beam temperature




Fig. 1. Drawing showing the position of the Ho profile monitor (1) straight after the electron cooler (2).

T. Bergmark et al. NIM A 441 (2000) 70-75, CELSIUS

$$\alpha_{\rm RR} = 3.02 \times 10^{-13} \frac{\rm cm^3}{\rm s} q^2 \sqrt{\frac{\rm eV}{kT_\perp}}$$

$$\times \left[\ln \left(\frac{11.32q}{\sqrt{kT_\perp/\rm eV}} \right) + 0.14 \left(\frac{kT_\perp}{q^2 \rm eV} \right)^{1/3} \right]$$

A. Wolf et al., NIM A 441 (2000) 183-190 Heidelberg

H.Danared, NIM A 391 (1997) 24-31 CRYRING

$$\alpha_{\rm r}(v_{\rm d}) = \int \sigma(v) v f(v_{\rm e}) \, {\rm d}^3 v_{\rm e}$$

$$f(\boldsymbol{v}_{e}) = \frac{m_{e}}{2\pi kT_{e\perp}} \left(\frac{m_{e}}{2\pi kT_{e\parallel}}\right)^{1/2}$$

$$\times \exp\left(-\frac{m_{e}v_{e\perp}^{2}}{2kT_{e\perp}} - \frac{m_{e}v_{e\parallel}^{2}}{2kT_{e\parallel}}\right)$$

If cross-section has a peak

$$\sigma = \sigma_0 \delta(E - E_0)$$

$$\begin{split} \alpha_{\rm r}(v_{\rm d}) &= \frac{\sigma_{\rm o}v_{\rm o}}{2\lambda kT_{\rm e,l}} \exp\left[\frac{-m_{\rm e}}{2kT_{\rm e,l}} \left(v_{\rm o}^2 - \frac{v_{\rm d}^2}{\lambda^2}\right)\right] \\ &\times \left[\exp\left(\sqrt{\frac{m_{\rm e}}{2kT_{\rm e,l}}} \frac{v_{\rm d} + \lambda^2 v_{\rm o}}{\lambda}\right) \\ &- \exp\left(\sqrt{\frac{m_{\rm e}}{2kT_{\rm e,l}}} \frac{v_{\rm d} - \lambda^2 v_{\rm o}}{\lambda}\right)\right]. \end{split}$$

$$\lambda = (1 - T_{\rm e\parallel}/T_{\rm e\perp})^{1/2}$$

A process that cross-sections can be regarded as delta function - dielectronic recombination

Accuracy for transverse temperature ~ 1%

3. Dependence on Magnetic field value




Fig. 5. Cooling rates $1/\tau_{\parallel}$ and $1/\tau_{j}$ as functions of the magnetic field in the interaction region (ion current 20 μ A, expansion factor 9.6, electron density 8.0×10^6 cm⁻³). Different plotting symbols result from different beam times.

TSR ¹²C⁶⁺ ions at energy of 73.3 MeV

(At ESR in the range 1.1-1.5 kG there is no dependence)

4. Dependence on electron transverse temperature




Fig. 6. Cooling rates $1/\tau_{\parallel}$ and $1/\tau_{j}$ as functions of the expansion factor ($B_{\rm cool}=418~{\rm G},~n_{\rm e}=8.0\times10^{6}~{\rm cm^{-3}},$ ion current 20 $\mu{\rm A}$). Different plotting symbols result from different beam times.

5. Scaling with charge number




Fig. 3. Variation of the power of the charge scaling of the longitudinal cooling force with the ion velocity.

ESR
Longitudinal force
Ions from ¹²C⁶⁺ to ²³⁸U⁹²⁺
Energy range 50-370 MeV/u


RHIC

$$V_s = \beta c(\Delta p/p) \approx$$


 3.10^5 m/sec

T.Wincler et al., NIM A391 (1997) 12-16

7. COSY cooler




Injection energy 45 MeV for protons, electron energy ~ 24.5 keV





Length of the proton beam orbit inside magnetic field ~ 3m


Length of the straight solenoid 2m


"Effective" length of the cooling section 1.4 m











1992 – assembly and test
1993 – displacement to
nominal position, first cooling
199? – discovery of "tower wall"
instability during stacking and
"electron heating" effect,
May 2001 – first ecool run
December 2001 –
work for experiment

General goals:
-decrease initial momentum
spread for effective adiabatic
bunching and further acceleration,
-decrease emittance for effective
fast extraction after acceleration,
-suppress the halo for slow
extraction,

-increase of the polarized beam intensity using stacking-cooling procedure.

9. Beam manipulation

Gun, drift, and collector solenoid are equipped with steering coils for both directions.

The coils produce a transverse magnetic field so that the longitudinal field lines get inclined. Since the electrons follow the longitudinal field lines, steering at the gun solenoid results in a displacement of the electron beam in the drift solenoid. Then, the collector steering has to be in opposite direction in order to guide the beam into the collector.

The drift solenoid steering is used for the orientation of the electron beam.

The effectiveness of the gun steering at 800 G longitudinal field was measured to be 1.54 mm/A, that of the drift steering 0.7 mrad/A.

Displacements of \pm 10 mm and orientation angles of \pm 2 mrad can be applied at the same time without hitting the potential tubes in the toroids

Diagnostics

The neutral particle detector (H⁰ detector) main tool to find the necessary ion and electron beam settings for cooling

is mounted in a distance of 24.3 m downstream the center of the drift solenoid.

It consists of two crossed wire chambers for profile measurements, (wire distance 1 mm) and two scintillators behind operated in coincidence for measuring absolute rates.


The repetition rate of the wire chamber spectra is about 2 s. The acceptance of the H^0 detector is ± 1 mrad.


Beam alignment


The minimum of the angular divergence between electron and proton beam can be found via measurements:

- the dumping time (total cooling time at the same step of the cathode voltage),
- profile width,
- H⁰ count rate

as functions of the electron beam angle.







Correction coils is out of operation.

Electron temperature, determined through the recombination rate

$$T_{\perp,eff} \sim 300 \text{ meV}$$


Chromatic instability is absent,
maximum misalignment angle ±0.7 mrad:
Effective temperature corresponding to maximum of the friction force


$$T_{\rm eff} > 20 \text{ meV}$$

Friction force measurement using voltage step method

After fast change of the cathode voltage the revolution frequency is measured as a function of time

$$F_{\parallel} = \frac{l_e}{C} \frac{p}{\eta} \frac{df / dt}{f}$$





11. Possible experiments

- 1. Dependence of the friction force on magnetic field value: There is a possibility to change the field in all the solenoids simultaneously from 400 to 1200 G
- 2. Dependence on longitudinal temperature (?):
 Artificial increase of the cathode power supply noise
- 3. Dependence on the field imperfection:
 Measurements of the force with field correction, search for chromatic instability